







CPG SERIES INSWING DOOR / SPECIFICATIONS

4-1/2" WIDE STILES
6-1/2" TOP & BOTTOM RAILS

STANDARD FEATURES:

- MULTIPPOINT LOCKING
- DECORATIVE BRONZE HARDWARE - OTHER FINISHES AVAILABLE
- CLEAR JAMBS AND DOOR EDGES

6/9 RO HEIGHT	MODEL	FRAME OSM	OPTIONAL ALUMINUM BRICKMOULD OSM	3/4" GLASS	SASH SIZE	SCREEN SIZE	EGRESS WIDTH
TWO PANEL OX XO 	CPG4	46-7/8 X 80-3/16	49-1/4 X 81-3/8	14-3/16 X	22-1/8 X 77-3/4	22-3/4 X 78-5/8	19-9/16
	CPG5	58-7/8 X 80-3/16	61-1/4 X 81-3/8	20-3/16 X	28-1/8 X 77-3/4	28-3/4 X 78-5/8	25-9/16
	CPG5/4	62-7/8 X 80-3/16	65-1/4 X 81-3/8	22-3/16 X	30-1/8 X 77-3/4	30-3/4 X 78-5/8	27-9/16
	CPG6	70-7/8 X 80-3/16	73-1/4 X 81-3/8	26-3/16 X	34-1/8 X 77-3/4	34-3/4 X 78-5/8	31-9/16
TWO PANEL TRUE FRENCH XX 	CPG4-F	46-7/8 X 80-3/16	49-1/4 X 81-3/8	14-3/16 X	22-1/8 X 77-3/4	22-3/4 X 78-5/8	19-9/16
	CPG5-F	58-7/8 X 80-3/16	61-1/4 X 81-3/8	20-3/16 X	28-1/8 X 77-3/4	28-3/4 X 78-5/8	25-9/16
	CPG5/4-F	62-7/8 X 80-3/16	65-1/4 X 81-3/8	22-3/16 X	30-1/8 X 77-3/4	30-3/4 X 78-5/8	27-9/16
	CPG6-F	70-7/8 X 80-3/16	73-1/4 X 81-3/8	26-3/16 X	34-1/8 X 77-3/4	34-3/4 X 78-5/8	31-9/16
ONE PANEL ACTIVE X 	CPG2/0	23-7/8 X 80-3/16	26-1/4 X 81-3/8	14-3/16 X	22-1/8 X 77-3/4	N/A	19-9/16
	CPG2/6	29-7/8 X 80-3/16	32-1/4 X 81-3/8	20-3/16 X	28-1/8 X 77-3/4	N/A	25-9/16
	CPG2/8	31-7/8 X 80-3/16	34-1/4 X 81-3/8	22-3/16 X	30-1/8 X 77-3/4	N/A	27-9/16
	CPG3	35-7/8 X 80-3/16	38-1/4 X 81-3/8	26-3/16 X	34-1/8 X 77-3/4	N/A	31-9/16
ONE PANEL STATIONARY O 	CPGSL2/0	23-7/8 X 80-3/16	26-1/4 X 81-3/8	14-3/16 X	22-1/8 X 77-3/4	N/A	
	CPGSL2/6	29-7/8 X 80-3/16	32-1/4 X 81-3/8	20-3/16 X	28-1/8 X 77-3/4	N/A	
	CPGSL2/8	31-7/8 X 80-3/16	34-1/4 X 81-3/8	22-3/16 X	30-1/8 X 77-3/4	N/A	
	CPGSL3	35-7/8 X 80-3/16	38-1/4 X 81-3/8	26-3/16 X	34-1/8 X 77-3/4	N/A	
THREE PANEL* OXO XO OOX 	CPG7/6	87-7/8 X 80-3/16	90-1/4 X 81-3/8	20-3/16 X	28-1/8 X 77-3/4	28-3/4 X 78-5/8	25-9/16
	CPG8	93-7/8 X 80-3/16	96-1/4 X 81-3/8	22-3/16 X	30-1/8 X 77-3/4	30-3/4 X 78-5/8	27-9/16
	CPG9	105-7/8 X 80-3/16	108-1/4 X 81-3/8	26-3/16 X	34-1/8 X 77-3/4	34-3/4 X 78-5/8	31-9/16
NARROW STILE STATIONARY SIDELIGHT O 	CPGNL12	13-9/16 X 80-3/16	16-1/4 X 81-3/8	7 X 65-7/8	12 X 77-3/4	N/A	
	CPGNL14	15-9/16 X 80-3/16	18-1/4 X 81-3/8	9 X 65-7/8	14 X 77-3/4	N/A	
	CPGNL16	17-9/16 X 80-3/16	20-1/4 X 81-3/8	11 X 65-7/8	16 X 77-3/4	N/A	
	CPGNL20	21-9/16 X 80-3/16	24-1/4 X 81-3/8	15 X 65-7/8	20 X 77-3/4	N/A	

MORE SIZES









CPG SERIES INSWING DOOR /SPECIFICATIONS

4-1/2" WIDE STILES
6-1/2" TOP & BOTTOM RAILS

STANDARD FEATURES:

- MULTIPPOINT LOCKING
- DECORATIVE BRONZE HARDWARE - OTHER FINISHES AVAILABLE
- CLEAR JAMBS AND DOOR EDGES

8/0 RO HEIGHT	MODEL	FRAME OSM	OPTIONAL ALUMINUM BRICKMOULD OSM	3/4" GLASS	SASH SIZE	SCREEN SIZE	EGRESS WIDTH
TWO PANEL OX XO 	CPG4X8	46-7/8 X 95-3/16	49-1/4 X 96-3/8	14-3/16 X	22-1/8 X 92-3/4	22-3/4 X 93-5/8	19-9/16
	CPG5X8	58-7/8 X 95-3/16	61-1/4 X 96-3/8	20-3/16 X	28-1/8 X 92-3/4	28-3/4 X 93-5/8	25-9/16
	CPG5/4X8	62-7/8 X 95-3/16	65-1/4 x 96-3/8	22-3/16 X	30-1/8 X 92-3/4	30-3/4 X 93-5/8	27-9/16
	CPG6X8	70-7/8 X 95-3/16	73-1/4 X 96-3/8	26-3/16 X	34-1/8 X 92-3/4	34-3/4 X 93-5/8	31-9/16
TWO PANEL TRUE FRENCH XX 	CPG4X8-F	46-7/8 X 95-3/16	49-1/4 X 96-3/8	14-3/16 X	22-1/8 X 92-3/4	22-3/4 X 93-5/8	19-9/16
	CPG5X8-F	58-7/8 X 95-3/16	61-1/4 X 96-3/8	20-3/16 X	28-1/8 X 92-3/4	28-3/4 X 93-5/8	25-9/16
	CPG5/4X8-F	62-7/8 X 95-3/16	65-1/4 x 96-3/8	22-3/16 X	30-1/8 X 92-3/4	30-3/4 X 93-5/8	27-9/16
	CPG6X8-F	70-7/8 X 95-3/16	73-1/4 X 96-3/8	26-3/16 X	34-1/8 X 92-3/4	34-3/4 X 93-5/8	31-9/16
ONE PANEL ACTIVE X 	CPG2/0X8	23-7/8 X 95-3/16	26-1/4 X 96-3/8	14-3/16 X	22-1/8 X 92-3/4	N/A	19-9/16
	CPG2/6X8	29-7/8 X 95-3/16	32-1/4 x 96-3/8	20-3/16 X	28-1/8 X 92-3/4	N/A	25-9/16
	CPG2/8X8	31-7/8 X 95-3/16	34-1/4 X 96-3/8	22-3/16 X	30-1/8 X 92-3/4	N/A	27-9/16
	CPG3X8	35-7/8 X 95-3/16	38-1/4 X 96-3/8	26-3/16 X	34-1/8 X 92-3/4	N/A	31-9/16
ONE PANEL STATIONARY O 	CPGSL2/0X8	23-7/8 X 95-3/16	26-1/4 X 96-3/8	14-3/16 X	22-1/8 X 92-3/4	N/A	
	CPGSL2/6X8	29-7/8 X 95-3/16	32-1/4 x 96-3/8	20-3/16 X	28-1/8 X 92-3/4	N/A	
	CPGSL2/8X8	31-7/8 X 95-3/16	34-1/4 X 96-3/8	22-3/16 X	30-1/8 X 92-3/4	N/A	
	CPGSL3X8	35-7/8 X 95-3/16	38-1/4 X 96-3/8	26-3/16 X	34-1/8 X 92-3/4	N/A	
THREE PANEL* OXO XO OOX 	CPG7/6X8	87-7/8 X 95-3/16	90-1/4 x 96-3/8	20-3/16 X	28-1/8 X 92-3/4	28-3/4 X 93-5/8	25-9/16
	CPG8X8	93-7/8 X 95-3/16	96-1/4 X 96-3/8	22-3/16 X	30-1/8 X 92-3/4	30-3/4 X 93-5/8	27-9/16
	CPG9X8	105-7/8 X 95-3/16	108-1/4 X 96-3/8	26-3/16 X	34-1/8 X 92-3/4	34-3/4 X 93-5/8	31-9/16
NARROW STILE STATIONARY SIDELIGHT O 	CPGNSL128	13-9/16 X 95-3/16	16-1/4 X 96-3/8	7 X 80-7/8	12 X 92-3/4	N/A	
	CPGNSL148	15-9/16 X 95-3/16	18-1/4 x 96-3/8	9 X 80-7/8	14 X 92-3/4	N/A	
	CPGNSL168	17-9/16 X 95-3/16	20-1/4 X 96-3/8	11 X 80-7/8	16 X 92-3/4	N/A	
	CPGNSL208	21-9/16 X 95-3/16	24-1/4 X 96-3/8	15 X 80-7/8	20 X 92-3/4	N/A	

MORE SIZES









CPG SERIES INSWING DOOR /SPECIFICATIONS

4-1/2" WIDE STILES

8-1/2" TOP & BOTTOM RAILS

STANDARD FEATURES:

- MULTIPOINT LOCKING
- DECORATIVE BRONZE HARDWARE - OTHER FINISHES AVAILABLE
- CLEAR JAMBS AND DOOR EDGES

6/11 RO HEIGHT	MODEL	FRAME OSM	OPTIONAL ALUMINUM BRICKMOULD OSM	3/4" GLASS	SASH SIZE	SCREEN SIZE	EGRESS WIDTH
TWO PANEL OX XO 	CPG4X6/11	46-7/8 X 82-3/16	49-1/4 X 83-3/8	14-3/16 X 65-7/8	22-1/8 X 79-3/4	22-3/4 X 80-5/8	19-9/16
	CPG5X6/11	58-7/8 X 82-3/16	61-1/4 X 83-3/8	20-3/16 X 65-7/8	28-1/8 X 79-3/4	28-3/4 X 80-5/8	25-9/16
	CPG5/4X6/11	62-7/8 X 82-3/16	65-1/4 x 83-3/8	22-3/16 X 65-7/8	30-1/8 X 79-3/4	30-3/4 X 80-5/8	27-9/16
	CPG6X6/11	70-7/8 X 82-3/16	73-1/4 X 83-3/8	26-3/16 X 65-7/8	34-1/8 X 79-3/4	34-3/4 X 80-5/8	31-9/16
	CPG6/6 X 6/11	76-7/8 X 82-3/16	79-1/4 X 83-3/8	29-3/16 X 65-7/8	37-1/8 X 79-3/4	37-3/4 X 80-5/8	34-9/16
TWO PANEL TRUE FRENCH XX 	CPG4X6/11-F	46-7/8 X 82-3/16	49-1/4 X 83-3/8	14-3/16 X 65-7/8	22-1/8 X 79-3/4	N/A	19-9/16
	CPG5X6/11-F	58-7/8 X 82-3/16	61-1/4 X 83-3/8	20-3/16 X 65-7/8	28-1/8 X 79-3/4	N/A	25-9/16
	CPG5/4X6/11-F	62-7/8 X 82-3/16	65-1/4 x 83-3/8	22-3/16 X 65-7/8	30-1/8 X 79-3/4	N/A	27-9/16
	CPG6X6/11-F	70-7/8 X 82-3/16	73-1/4 X 83-3/8	26-3/16 X 65-7/8	34-1/8 X 79-3/4	N/A	31-9/16
	CPG6/6X6/11-F	76-7/8 X 82-3/16	79-1/4 X 83-3/8	29-3/16 X 65-7/8	37-1/8 X 79-3/4	N/A	34-9/16
ONE PANEL ACTIVE X 	CPG2/0X6/11	23-7/8 X 82-3/16	26-1/4 X 83-3/8	14-3/16 X 65-7/8	22-1/8 X 79-3/4	N/A	19-9/16
	CPG2/6X6/11	29-7/8 X 82-3/16	32-1/4 x 83-3/8	20-3/16 X 65-7/8	28-1/8 X 79-3/4	N/A	25-9/16
	CPG2/8X6/11	31-7/8 X 82-3/16	34-1/4 X 83-3/8	22-3/16 X 65-7/8	30-1/8 X 79-3/4	N/A	27-9/16
	CPG3X6/11	35-7/8 X 82-3/16	38-1/4 X 83-3/8	26-3/16 X 65-7/8	34-1/8 X 79-3/4	N/A	31-9/16
	CPG3/3X6/11	38-7/8 X 82-3/16	41-1/4 X 83-3/8	29-3/16 X 65-7/8	37-1/8 X 79-3/4	N/A	34-9/16
ONE PANEL STATIONARY O 	CPGSL2/0X6/11	23-7/8 X 82-3/16	26-1/4 X 83-3/8	14-3/16 X 65-7/8	22-1/8 X 79-3/4	N/A	
	CPGSL2/6X6/11	29-7/8 X 82-3/16	32-1/4 x 83-3/8	20-3/16 X 65-7/8	28-1/8 X 79-3/4	N/A	
	CPGSL2/8X6/11	31-7/8 X 82-3/16	34-1/4 X 83-3/8	22-3/16 X 65-7/8	30-1/8 X 79-3/4	N/A	
	CPGSL3X6/11	35-7/8 X 82-3/16	38-1/4 X 83-3/8	26-3/16 X 65-7/8	34-1/8 X 79-3/4	N/A	
	CPGSL3/3X6/11	38-7/8 X 82-3/16	41-1/4 X 83-3/8	29-3/16 X 65-7/8	37-1/8 X 79-3/4	N/A	
THREE PANEL* OXO XOO OOX 	CPG7/6X6/11	87-7/8 X 82-3/16	90-1/4 x 83-3/8	20-3/16 X 65-7/8	28-1/8 X 79-3/4	28-3/4 X 80-5/8	25-9/16
	CPG8X6/11	93-7/8 X 82-3/16	96-1/4 X 83-3/8	22-3/16 X 65-7/8	30-1/8 X 79-3/4	30-3/4 X 80-5/8	27-9/16
	CPG9X6/11	105-7/8 X 82-3/16	108-1/4 X 83-3/8	26-3/16 X 65-7/8	34-1/8 X 79-3/4	34-3/4 X 80-5/8	31-9/16
	CPG9/9 X 6/11	114-7/8 X 82-3/16	117-1/4 X 83-3/8	29-3/16 X 65-7/8	37-1/8 X 79-3/4	37-3/4 X 80-5/8	34-9/16
NARROW STILE STATIONARY SIDELIGHT O 	CPGNLS12611	13-9/16 X 82-3/16	16-1/4 X 83-3/8	7 X 65-7/8	12 X 79-3/4	N/A	
	CPGNLS14611	15-9/16 X 82-3/16	18-1/4 x 83-3/8	9 X 65-7/8	14 X 79-3/4	N/A	
	CPGNLS166/11	17-9/16 X 82-3/16	20-1/4 X 83-3/8	11 X 65-7/8	16 X 79-3/4	N/A	
	CPGNLS206/11	21-9/16 X 82-3/16	24-1/4 X 83-3/8	15 X 65-7/8	20 X 79-3/4	N/A	

MORE SIZES









CPG SERIES INSWING DOOR /SPECIFICATIONS

4-1/2" WIDE STILES

8-1/2" TOP & BOTTOM RAILS

STANDARD FEATURES:

- MULTIPOINT LOCKING
- DECORATIVE BRONZE HARDWARE - OTHER FINISHES AVAILABLE
- CLEAR JAMBS AND DOOR EDGES

7/0 RO HEIGHT	MODEL	FRAME OSM	OPTIONAL ALUMINUM BRICKMOULD OSM	3/4" GLASS	SASH SIZE	SCREEN SIZE	EGRESS WIDTH
TWO PANEL OX XO 	CPG4 X 7	46-7/8 X 83-11/16	48-7/8 X 85	14-3/16 X 69-3/8	22-1/8 X 81-1/4	22-3/4 X 82-1/8	19-9/16
	CPG5 X 7	58-7/8 X 83-11/16	60-7/8 X 85	20-3/16 X 69-3/8	28-1/8 X 81-1/4	28-3/4 X 82-1/8	25-9/16
	CPG5/4 X 7	62-7/8 X 83-11/16	64-7/8 X 85	22-3/16 X 69-3/8	30-1/8 X 81-1/4	30-3/4 X 82-1/8	27-9/16
	CPG6 X 7	70-7/8 X 83-11/16	72-7/8 X 85	26-3/16 X 69-3/8	34-1/8 X 81-1/4	34-3/4 X 82-1/8	31-9/16
	CPG6/6 X 7	76-7/8 X 83-11/16	78-7/8 X 85	29-3/16 X 69-3/8	37-1/8 X 81-1/4	37-3/4 X 82-1/8	34-9/16
TWO PANEL TRUE FRENCH XX 	CPG4 X 7-F	46-7/8 X 83-11/16	48-7/8 X 85	14-3/16 X 69-3/8	22-1/8 X 81-1/4	N/A	19-9/16
	CPG5 X 7-F	58-7/8 X 83-11/16	60-7/8 X 85	20-3/16 X 69-3/8	28-1/8 X 81-1/4	N/A	25-9/16
	CPG5/4 X 7-F	62-7/8 X 83-11/16	64-7/8 X 85	22-3/16 X 69-3/8	30-1/8 X 81-1/4	N/A	27-9/16
	CPG6 X 7-F	70-7/8 X 83-11/16	72-7/8 X 85	26-3/16 X 69-3/8	34-1/8 X 81-1/4	N/A	31-9/16
	CPG6/6 X 7-F	76-7/8 X 83-11/16	78-7/8 X 85	29-3/16 X 69-3/8	37-1/8 X 81-1/4	N/A	34-9/16
ONE PANEL ACTIVE X 	CPG2/0X X 7	23-7/8 X 83-11/16	25-7/8 X 85	14-3/16 X 69-3/8	22-1/8 X 81-1/4	N/A	19-9/16
	CPG2/6 X 7	29-7/8 X 83-11/16	31-7/8 X 85	20-3/16 X 69-3/8	28-1/8 X 81-1/4	N/A	25-9/16
	CPG2/8 X 7	31-7/8 X 83-11/16	33-7/8 X 85	22-3/16 X 69-3/8	30-1/8 X 81-1/4	N/A	27-9/16
	CPG3 X 7	35-7/8 X 83-11/16	37-7/8 X 85	26-3/16 X 69-3/8	34-1/8 X 81-1/4	N/A	31-9/16
	CPG3/3 X 7	38-7/8 X 83-11/16	40-7/8 X 85	29-3/16 X 69-3/8	37-1/8 X 81-1/4	N/A	34-9/16
ONE PANEL STATIONARY O 	CPGSL2/0 X 7	23-7/8 X 83-11/16	25-7/8 X 85	14-3/16 X 69-3/8	22-1/8 X 81-1/4	N/A	
	CPGSL2/6 X 7	29-7/8 X 83-11/16	31-7/8 X 85	20-3/16 X 69-3/8	28-1/8 X 81-1/4	N/A	
	CPGSL2/8 X 7	31-7/8 X 83-11/16	33-7/8 X 85	22-3/16 X 69-3/8	30-1/8 X 81-1/4	N/A	
	CPGSL3 X 7	35-7/8 X 83-11/16	37-7/8 X 85	26-3/16 X 69-3/8	34-1/8 X 81-1/4	N/A	
	CPGSL3/3 X 7	38-7/8 X 83-11/16	40-7/8 X 85	29-3/16 X 69-3/8	37-1/8 X 81-1/4	N/A	
THREE PANEL* OXO XOO OOX 	CPG7/6 X 7	87-7/8 X 83-11/16	89-7/8 X 85	20-3/16 X 69-3/8	28-1/8 X 81-1/4	28-3/4 X 82-1/8	25-9/16
	CPG8X 7	93-7/8 X 83-11/16	95-7/8 X 85	22-3/16 X 69-3/8	30-1/8 X 81-1/4	30-3/4 X 82-1/8	27-9/16
	CPG9 X 7	105-7/8 X 83-11/16	107-7/8 X 85	26-3/16 X 69-3/8	34-1/8 X 81-1/4	34-3/4 X 82-1/8	31-9/16
	CPG9/9 X 7	114-7/8 X 83-11/16	116-7/8 X 85	29-3/16 X 69-3/8	37-1/8 X 81-1/4	37-3/4 X 82-1/8	34-9/16
NARROW STILE STATIONARY SIDELIGHT O 	CPGNSL1270	13-9/16 X 83-11/16	15-9/16 X 85	7 X 69-3/8	12 X 81-1/4	N/A	
	CPGNSL1470	15-9/16 X 83-11/16	17-9/16 X 85	9 X 69-3/8	14 X 81-1/4	N/A	
	CPGNSL1670	17-9/16 X 83-11/16	19-6/16 X 85	11 X 69-3/8	16 X 81-1/4	N/A	
	CPGNSL2070	21-9/16 X 83-11/16	23-9/16 X 85	15 X 69-3/8	20 X 81-1/4	N/A	