






OSCPG SERIES OUTSWING DOOR / SPECIFICATIONS

4-1/2" WIDE STILES
6-1/2" TOP & BOTTOM RAILS

STANDARD FEATURES:

- MULTIPOINT LOCKING
- DECORATIVE BRONZE HARDWARE - OTHER FINISHES AVAILABLE
- CLEAR JAMBS AND DOOR EDGES

| 6/9 RO HEIGHT | MODEL | FRAME OSM | OPTIONAL ALUMINUM BRICKMOULD OSM | 3/4" GLASS | SASH SIZE | SCREEN SIZE | EGRESS WIDTH |
|--|---------------------|--------------------|----------------------------------|------------------|------------------|-------------|--------------|
| TWO PANEL OX XO  | OSCPG4 | 47-1/2 X 79-15/16 | 49-7/8 X 81-1/8 | 14-3/16 X 65-7/8 | 22-3/32 X 77-3/4 | N/A | 19-7/16 |
| | OSCPG5 | 59-1/2 X 79-15/16 | 61-7/8 X 81-1/8 | 20-3/16 X 65-7/8 | 28-3/32 X 77-3/4 | N/A | 25-7/16 |
| | OSCPG5/4 | 63-1/2 X 79-15/16 | 65-7/8 x 81-1/8 | 22-3/16 X 65-7/8 | 30-3/32 X 77-3/4 | N/A | 27-7/16 |
| | OSCPG6 | 71-1/2 X 79-15/16 | 73-7/8 X 81-1/8 | 26-3/16 X 65-7/8 | 34-3/32 X 77-3/4 | N/A | 31-7/16 |
| TWO PANEL TRUE FRENCH XX  | OSCPG4-F | 47-1/2 X 79-15/16 | 49-7/8 X 81-1/8 | 14-3/16 X 65-7/8 | 22-3/32 X 77-3/4 | N/A | 19-7/16 |
| | OSCPG5-F | 59-1/2 X 79-15/16 | 61-7/8 X 81-1/8 | 20-3/16 X 65-7/8 | 28-3/32 X 77-3/4 | N/A | 25-7/16 |
| | OSCPG5/4-F | 63-1/2 X 79-15/16 | 65-7/8 x 81-1/8 | 22-3/16 X 65-7/8 | 30-3/32 X 77-3/4 | N/A | 27-7/16 |
| | OSCPG6-F | 71-1/2 X 79-15/16 | 73-7/8 X 81-1/8 | 26-3/16 X 65-7/8 | 34-3/32 X 77-3/4 | N/A | 31-7/16 |
| ONE PANEL ACTIVE X  | OSCPG2/0 | 24-1/2 X 79-15/16 | 26-7/8 X 81-1/8 | 14-3/16 X 65-7/8 | 22-3/32 X 77-3/4 | N/A | 19-9/16 |
| | OSCPG2/6 | 30-1/2 X 79-15/16 | 32-7/8 x 81-1/8 | 20-3/16 X 65-7/8 | 28-3/32 X 77-3/4 | N/A | 25-9/16 |
| | OSCPG2/8 | 32-1/2 X 79-15/16 | 34-7/8 X 81-1/8 | 22-3/16 X 65-7/8 | 30-3/32 X 77-3/4 | N/A | 27-9/16 |
| | OSCPG3 | 36-1/2 X 79-15/16 | 38-7/8 X 81-1/8 | 26-3/16 X 65-7/8 | 34-3/32 X 77-3/4 | N/A | 31-9/16 |
| ONE PANEL STATIONARY O  | OSCPGSL2/0 | 24-1/2 X 79-15/16 | 26-7/8 X 81-1/8 | 14-3/16 X 65-7/8 | 22-3/32 X 77-3/4 | N/A | |
| | OSCPGSL2/6 | 30-1/2 X 79-15/16 | 32-7/8 x 81-1/8 | 20-3/16 X 65-7/8 | 28-3/32 X 77-3/4 | N/A | |
| | OSCPGSL2/8 | 32-1/2 X 79-15/16 | 34-7/8 X 81-1/8 | 22-3/16 X 65-7/8 | 30-3/32 X 77-3/4 | N/A | |
| | OSCPGSL3 | 36-1/2 X 79-15/16 | 38-7/8 X 81-1/8 | 26-3/16 X 65-7/8 | 34-3/32 X 77-3/4 | N/A | |
| NARROW STILE STATIONARY SIDELIGHT O  | OSCPGNSL1269 | 14-3/16 X 79-15/16 | 16-9/16 X 81-1/8 | 7 X 65-7/8 | 12 X 77-3/4 | N/A | |
| | OSCPGNSL1469 | 16-3/16 X 79-15/16 | 18-9/16 x 81-1/8 | 9 X 65-7/8 | 14 X 77-3/4 | N/A | |
| | OSCPGNSL1669 | 18-3/16 X 79-15/16 | 20-9/16 X 81-1/8 | 11 X 65-7/8 | 16 X 77-3/4 | N/A | |
| | OSCPGNSL2069 | 22-3/16 X 79-15/16 | 24-9/16 X 81-1/8 | 15 X 65-7/8 | 20 X 77-3/4 | N/A | |

MORE SIZES






OSCPG SERIES OUTSWING DOOR / SPECIFICATIONS

4-1/2" WIDE STILES
6-1/2" TOP & BOTTOM RAILS

STANDARD FEATURES:

- MULTIPPOINT LOCKING
- DECORATIVE BRONZE HARDWARE - OTHER FINISHES AVAILABLE
- CLEAR JAMBS AND DOOR EDGES

| 8/0 RO HEIGHT | MODEL | FRAME OSM | OPTIONAL ALUMINUM BRICKMOULD OSM | 3/4" GLASS | SASH SIZE | SCREEN SIZE | EGRESS WIDTH |
|---|-----------------------|--------------------|----------------------------------|------------------|------------------|-------------|--------------|
| TWO PANEL OX XO  | OSCPG4 X 8 | 47-1/2 X 94-15/16 | 49-7/8 X 96-1/8 | 14-3/16 X 80-7/8 | 22-3/32 X 92-3/4 | N/A | 19-7/16 |
| | OSCPG5 X 8 | 59-1/2 X 94-15/16 | 61-7/8 X 96-1/8 | 20-3/16 X 80-7/8 | 28-3/32 X 92-3/4 | N/A | 25-7/16 |
| | OSCPG5/4 X 8 | 63-1/2 X 94-15/16 | 65-7/8 x 96-1/8 | 22-3/16 X 80-7/8 | 30-3/32 X 92-3/4 | N/A | 27-7/16 |
| | OSCPG6 X 8 | 71-1/2 X 94-15/16 | 73-7/8 X 96-1/8 | 26-3/16 X 80-7/8 | 34-3/32 X 92-3/4 | N/A | 31-7/16 |
| TWO PANEL TRUE FRENCH XX  | OSCPG4 X 8-F | 47-1/2 X 94-15/16 | 49-7/8 X 96-1/8 | 14-3/16 X 80-7/8 | 22-3/32 X 92-3/4 | N/A | 19-7/16 |
| | OSCPG5 X 8-F | 59-1/2 X 94-15/16 | 61-7/8 X 96-1/8 | 20-3/16 X 80-7/8 | 28-3/32 X 92-3/4 | N/A | 25-7/16 |
| | OSCPG5/4 X 8-F | 63-1/2 X 94-15/16 | 65-7/8 x 96-1/8 | 22-3/16 X 80-7/8 | 30-3/32 X 92-3/4 | N/A | 27-7/16 |
| | OSCPG6 X 8-F | 71-1/2 X 94-15/16 | 73-7/8 X 96-1/8 | 26-3/16 X 80-7/8 | 34-3/32 X 92-3/4 | N/A | 31-7/16 |
| ONE PANEL ACTIVE X  | OSCPG2/0 X 8 | 24-1/2 X 94-15/16 | 26-7/8 X 96-1/8 | 14-3/16 X 80-7/8 | 22-3/32 X 92-3/4 | N/A | 19-9/16 |
| | OSCPG2/6 X 8 | 30-1/2 X 94-15/16 | 32-7/8 x 96-1/8 | 20-3/16 X 80-7/8 | 28-3/32 X 92-3/4 | N/A | 25-9/16 |
| | OSCPG2/8 X 8 | 32-1/2 X 94-15/16 | 34-7/8 X 96-1/8 | 22-3/16 X 80-7/8 | 30-3/32 X 92-3/4 | N/A | 27-9/16 |
| | OSCPG3 X 8 | 36-1/2 X 94-15/16 | 38-7/8 X 96-1/8 | 26-3/16 X 80-7/8 | 34-3/32 X 92-3/4 | N/A | 31-9/16 |
| ONE PANEL STATIONARY O  | OSCPGSL2/0 X | 24-1/2 X 94-15/16 | 26-7/8 X 96-1/8 | 14-3/16 X 80-7/8 | 22-3/32 X 92-3/4 | N/A | |
| | OSCPGSL2/6 X | 30-1/2 X 94-15/16 | 32-7/8 x 96-1/8 | 20-3/16 X 80-7/8 | 28-3/32 X 92-3/4 | N/A | |
| | OSCPGSL2/8 X | 32-1/2 X 94-15/16 | 34-7/8 X 96-1/8 | 22-3/16 X 80-7/8 | 30-3/32 X 92-3/4 | N/A | |
| | OSCPGSL3 X 8 | 36-1/2 X 94-15/16 | 38-7/8 X 96-1/8 | 26-3/16 X 80-7/8 | 34-3/32 X 92-3/4 | N/A | |
| NARROW STILE STATIONARY SIDELIGHT O  | OSCPGNL1280 | 14-3/16 X 94-15/16 | 16-9/16 X 96-1/8 | 7 X 80-7/8 | 12 X 92-3/4 | N/A | |
| | OSCPGNL1480 | 16-3/16 X 94-15/16 | 18-9/16 x 96-1/8 | 9 X 80-7/8 | 14 X 92-3/4 | N/A | |
| | OSCPGNL1680 | 18-3/16 X 94-15/16 | 20-9/16 X 96-1/8 | 11 X 80-7/8 | 16 X 92-3/4 | N/A | |
| | OSCPGNL2080 | 22-3/16 X 94-15/16 | 24-9/16 X 96-1/8 | 15 X 80-7/8 | 20 X 92-3/4 | N/A | |

MORE SIZES








OSCPG SERIES OUTSWING DOOR / SPECIFICATIONS

4-1/2" WIDE STILES
8-1/2" TOP & BOTTOM RAILS

STANDARD FEATURES:

- MULTIPOINT LOCKING
- DECORATIVE BRONZE HARDWARE - OTHER FINISHES AVAILABLE
- CLEAR JAMBS AND DOOR EDGES






| 6/11 RO HEIGHT | MODEL | FRAME OSM | OPTIONAL ALUMINUM BRICKMOULD OSM | 3/4" GLASS | SASH SIZE | SCREEN SIZE | EGRESS WIDTH |
|--|--------------------------|--------------------|----------------------------------|------------------|------------------|-------------|--------------|
| TWO PANEL OX XO  | OSCPG4 X 6/11 | 47-1/2 X 81-15/16 | 49-7/8 X 85-3/4 | 14-3/16 X 67-7/8 | 22-3/32 X 79-3/4 | N/A | 19-7/16 |
| | OSCPG5 X 6/11 | 59-1/2 X 81-15/16 | 61-7/8 X 85-3/4 | 20-3/16 X 67-7/8 | 28-3/32 X 79-3/4 | N/A | 25-7/16 |
| | OSCPG5/4 X 6/11 | 63-1/2 X 81-15/16 | 65-7/8 X 85-3/4 | 22-3/16 X 67-7/8 | 30-3/32 X 79-3/4 | N/A | 27-9/16 |
| | OSCPG6 X 6/11 | 71-1/2 X 81-15/16 | 73-7/8 X 85-3/4 | 26-3/16 X 67-7/8 | 34-3/32 X 79-3/4 | N/A | 31-7/16 |
| | OSCPG6/6 X 6/11 | 77-1/2 X 81-15/16 | 79-7/8 X 85-3/4 | 29-3/16 X 67-7/8 | 37-3/32 X 79-3/4 | N/A | 34-7/16 |
| TWO PANEL TRUE FRENCH XX  | OSCPG4 X 6/11-F | 47-1/2 X 81-15/16 | 49-7/8 X 85-3/4 | 14-3/16 X 67-7/8 | 22-3/32 X 79-3/4 | N/A | 19-7/16 |
| | OSCPG5 X 6/11-F | 59-1/2 X 81-15/16 | 61-7/8 X 85-3/4 | 20-3/16 X 67-7/8 | 28-3/32 X 79-3/4 | N/A | 25-7/16 |
| | OSCPG5/4 X 6/11-F | 63-1/2 X 81-15/16 | 65-7/8 X 85-3/4 | 22-3/16 X 67-7/8 | 30-3/32 X 79-3/4 | N/A | 27-7/16 |
| | OSCPG6 X 6/11-F | 71-1/2 X 81-15/16 | 73-7/8 X 85-3/4 | 26-3/16 X 67-7/8 | 34-3/32 X 79-3/4 | N/A | 31-7/16 |
| | OSCPG6/6 X 6/11-F | 77-1/2 X 81-15/16 | 79-7/8 X 85-3/4 | 29-3/16 X 67-7/8 | 37-3/32 X 79-3/4 | N/A | 34-7/16 |
| ONE PANEL ACTIVE X  | OSCPG2/0 X 6/11 | 24-1/2 X 81-15/16 | 26-7/8 X 85-3/4 | 14-3/16 X 67-7/8 | 22-3/32 X 79-3/4 | N/A | 19-9/16 |
| | OSCPG2/6 X 6/11 | 30-1/2 X 81-15/16 | 32-7/8 X 85-3/4 | 20-3/16 X 67-7/8 | 28-3/32 X 79-3/4 | N/A | 25-9/16 |
| | OSCPG2/8 X 6/11 | 32-1/2 X 81-15/16 | 34-7/8 X 85-3/4 | 22-3/16 X 67-7/8 | 30-3/32 X 79-3/4 | N/A | 27-9/16 |
| | OSCPG3 X 6/11 | 36-1/2 X 81-15/16 | 38-7/8 X 85-3/4 | 26-3/16 X 67-7/8 | 34-3/32 X 79-3/4 | N/A | 31-9/16 |
| | OSCPG3/3 X 6/11 | 39-1/2 X 81-15/16 | 41-7/8 X 85-3/4 | 29-3/16 X 67-7/8 | 37-3/32 X 79-3/4 | N/A | 34-9/16 |
| ONE PANEL STATIONARY O  | OSCPGSL2/0 X 6/11 | 24-1/2 X 81-15/16 | 26-7/8 X 85-3/4 | 14-3/16 X 67-7/8 | 22-3/32 X 79-3/4 | N/A | |
| | OSCPGSL2/6 X 6/11 | 30-1/2 X 81-15/16 | 32-7/8 X 85-3/4 | 20-3/16 X 67-7/8 | 28-3/32 X 79-3/4 | N/A | |
| | OSCPGSL2/8 X 6/11 | 32-1/2 X 81-15/16 | 34-7/8 X 85-3/4 | 22-3/16 X 67-7/8 | 30-3/32 X 79-3/4 | N/A | |
| | OSCPGSL3 X 6/11 | 36-1/2 X 81-15/16 | 38-7/8 X 85-3/4 | 26-3/16 X 67-7/8 | 34-3/32 X 79-3/4 | N/A | |
| | OSCPGSL3/3 X 6/11 | 39-1/2 X 81-15/16 | 41-7/8 X 85-3/4 | 29-3/16 X 67-7/8 | 37-3/32 X 79-3/4 | N/A | |
| NARROW STILE STATIONARY SIDELIGHT O  | OSCPGNSL 12611 | 14-3/16 X 81-15/16 | 16-9/16 X 85-3/4 | 7 X 67-7/8 | 12 X 79-3/4 | N/A | |
| | OSCPGNSL 14611 | 16-3/16 X 81-15/16 | 18-9/16 X 85-3/4 | 9 X 67-7/8 | 14 X 79-3/4 | N/A | |
| | OSCPGNSL 16611 | 18-3/16 X 81-15/16 | 20-9/16 X 85-3/4 | 11 X 67-7/8 | 16 X 79-3/4 | N/A | |
| | OSCPGNSL 20611 | 22-3/16 X 81-15/16 | 24-9/16 X 85-3/4 | 15 X 67-7/8 | 20 X 79-3/4 | N/A | |

OSCPG SERIES OUTSWING DOOR / SPECIFICATIONS

4-1/2" WIDE STILES
8-1/2" TOP & BOTTOM RAILS

STANDARD FEATURES:

- MULTIPOINT LOCKING
- DECORATIVE BRONZE HARDWARE - OTHER FINISHES AVAILABLE
- CLEAR JAMBS AND DOOR EDGES

| 7/0 RO HEIGHT | MODEL | FRAME OSM | OPTIONAL ALUMINUM BRICKMOULD OSM | 3/4" GLASS | SASH SIZE | SCREEN SIZE | EGRESS WIDTH |
|--|-----------------------|------------------|----------------------------------|------------------|------------------|-------------|--------------|
| TWO PANEL OX XO  | OSCPG4 X 7 | 47-1/2 X 83-7/8 | 49-7/8 X 85-1/16 | 14-3/16 X 69-7/8 | 22-3/32 X 81-1/4 | N/A | 19-7/16 |
| | OSCPG5 X 7 | 59-1/2 X 83-7/8 | 61-7/8 X 85-1/16 | 20-3/16 X 69-7/8 | 28-3/32 X 81-1/4 | N/A | 25-7/16 |
| | OSCPG5/4 X 7 | 63-1/2 X 83-7/8 | 65-7/8 x 85-1/16 | 22-3/16 X 69-7/8 | 30-3/32 X 81-1/4 | N/A | 27-7/16 |
| | CPG6 X 7 | 71-1/2 X 83-7/8 | 73-7/8 X 85-1/16 | 26-3/16 X 69-7/8 | 34-3/32 X 81-1/4 | N/A | 31-7/16 |
| | OSCPG6/6 X 7 | 77-1/2 X 83-7/8 | 79-7/8 X 85-1/16 | 29-3/16 X 69-7/8 | 37-3/32 X 81-1/4 | N/A | 34-7/16 |
| TWO PANEL TRUE FRENCH XX  | OSCPG4 X 7-F | 47-1/2 X 83-7/8 | 49-7/8 X 85-1/16 | 14-3/16 X 69-7/8 | 22-3/32 X 81-1/4 | N/A | 19-7/16 |
| | OSCPG5 X 7-F | 59-1/2 X 83-7/8 | 61-7/8 X 85-1/16 | 20-3/16 X 69-7/8 | 28-3/32 X 81-1/4 | N/A | 25-7/16 |
| | OSCPG5/4 X 7-F | 63-1/2 X 83-7/8 | 65-7/8 x 85-1/16 | 22-3/16 X 69-7/8 | 30-3/32 X 81-1/4 | N/A | 27-7/16 |
| | OSCPG6 X 7-F | 71-1/2 X 83-7/8 | 73-7/8 X 85-1/16 | 26-3/16 X 69-7/8 | 34-3/32 X 81-1/4 | N/A | 31-7/16 |
| | OSCPG6/6 X 7-F | 77-1/2 X 83-7/8 | 79-7/8 X 85-1/16 | 29-3/16 X 69-7/8 | 37-3/32 X 81-1/4 | N/A | 34-7/16 |
| ONE PANEL ACTIVE X  | OSCPG2/0 X 7 | 24-1/2 X 83-7/8 | 26-7/8 X 85-1/16 | 14-3/16 X 69-7/8 | 22-3/32 X 81-1/4 | N/A | 19-9/16 |
| | OSCPG2/6 X 7 | 30-1/2 X 83-7/8 | 32-7/8 x 85-1/16 | 20-3/16 X 69-7/8 | 28-3/32 X 81-1/4 | N/A | 25-9/16 |
| | OSCPG2/8 X 7 | 32-1/2 X 83-7/8 | 34-7/8 X 85-1/16 | 22-3/16 X 69-7/8 | 30-3/32 X 81-1/4 | N/A | 27-9/16 |
| | OSCPG3 X 7 | 36-1/2 X 83-7/8 | 38-7/8 X 85-1/16 | 26-3/16 X 69-7/8 | 34-3/32 X 81-1/4 | N/A | 31-9/16 |
| | OSCPG3/3 X 7 | 39-1/2 X 83-7/8 | 41-7/8 X 85-1/16 | 29-3/16 X 69-7/8 | 37-3/32 X 81-1/4 | N/A | 34-9/16 |
| ONE PANEL STATIONARY O  | OSCPGSL2/0 X 7 | 24-1/2 X 83-7/8 | 26-7/8 X 85-1/16 | 14-3/16 X 69-7/8 | 22-3/32 X 81-1/4 | N/A | |
| | OSCPGSL2/6 X 7 | 30-1/2 X 83-7/8 | 32-7/8 x 85-1/16 | 20-3/16 X 69-7/8 | 28-3/32 X 81-1/4 | N/A | |
| | OSCPGSL2/8 X 7 | 32-1/2 X 83-7/8 | 34-7/8 X 85-1/16 | 22-3/16 X 69-7/8 | 30-3/32 X 81-1/4 | N/A | |
| | OSCPGSL3 X 7 | 36-1/2 X 83-7/8 | 38-7/8 X 85-1/16 | 26-3/16 X 69-7/8 | 34-3/32 X 81-1/4 | N/A | |
| | OSCPGSL3/3 X 7 | 39-1/2 X 83-7/8 | 41-7/8 X 85-1/16 | 29-3/16 X 69-7/8 | 37-3/32 X 81-1/4 | N/A | |
| NARROW STILE STATIONARY SIDELIGHT O  | OSCPGNSL1270 | 14-3/16 X 83-7/8 | 16-9/16 X 85-1/16 | 7 X 69-7/8 | 12 X 81-1/4 | N/A | |
| | OSCPGNSL1470 | 16-3/16 X 83-7/8 | 18-9/16 x 85-1/16 | 9 X 69-7/8 | 14 X 81-1/4 | N/A | |
| | OSCPGNSL1670 | 18-3/16 X 83-7/8 | 20-9/16 X 85-1/16 | 11 X 69-7/8 | 16 X 81-1/4 | N/A | |
| | OSCPGNSL 2070 | 22-3/16 X 83-7/8 | 24-9/16 X 85-1/16 | 15 X 69-7/8 | 20 X 81-1/4 | N/A | |