



Entry Door Systems

By Merrill Millwork

Slide & Swing Doors



Live Inside... Out!

www.park-vue.com



With Active Sidelight

PARK-VUE WOOD & CLAD ENTRANCE DOORS



Featuring Operable and Vented Sidelights

Features:

- Extruded aluminum clad frame exterior available in 12 colors
- Advanced sill with patented weep system
- Glass options with NFRC certification
- Choice of three standard heights
- Sidelights active, vented and stationary
- Direct & Sash Set Transoms
- Adjustable hinges
- Multipoint hardware standard on All Swing units
- Automatic lever & thumb latch hardware in a variety of finishes

Options:


- Choose from 16 standard wood & clad door panel designs
- Glazing options include decorative glass, obscure patterns, grills between glass and simulated divided lites
- Blinds in Glass now available in 6 color options
- Standard Prefinished Interiors & unlimited matching
- Custom color clad exteriors including anodized exterior clad
- Handle Activated Shoot Bolt available for French Units (S Bolt)
- ADA Sills W/10" Bottom Rails
- 4-9/16" jamb or 6-9/16" extended jamb sill
- Sidelights stationary or vented
- Unique operating furniture sidelight available



WOOD & CLAD SERIES


STANDARD DESIGN OPTIONS AVAILABLE ON WOOD SERIES: **ALL WOOD OPTIONS**

WD120




1 Lite French Square Top over 2 Raised Wood Panel

WD320




3 Lite French Square Top over 2 Raised Wood Panel Exterior

WD330




3 Lite French Square Top over 3 Raised Wood Panel Exterior

WD620




6 Lite French Square Top over 2 Raised Wood Panel Exterior

WD420



4 Lite French Square Top Half Lite over 2 Flat wood Panel Exterior

WD440




4 Lite French Square Top over 4 Raised Wood Panel




STANDARD DESIGN OPTIONS AVAILABLE ON THE CLAD SERIES: **CLAD EXTERIOR WOOD INTERIOR**

CD420




4 Lite French Square Top Half Lite over 2 Flat Alum. Flat Panel Exterior

CD320




3 Lite French Square Top over 2 Flat Flat Alum. Panel Exterior

CD440




4 Lite French Square Top over 4 Flat Alum. Panel Exterior

CD330




3 Lite French Square Top over 3 Raised Flat Alum. Panel

CD620




6 Lite French Square Top over 2 Flat Alum. Panel Exterior

CD100



1 Lite Full View French Square Top Alum. Exterior

CD300



3 Lite Contemporary Square Glass Panels Alum. Exterior

CD400




4 Lite Contemporary Square Glass Panel Alum. Exterior

CD500



5 Lite Contemporary Square Glass Panel Alum. Exterior

CD120



1 Lite French Square Top over 2 Alum. Flat Panel



Glazing Options



RAIN



BEVELED



FRT



FROST

FACTORY PREHUNG UNITS



Cherry, 1 lite over 2 Panel flat
with Delta frost glass
"C1L2TMRV-EXT" + Slidelights



Douglas Fir, 3 lite over 2 Panel flat
with Warwick glass
"DF3L2TMRV-EXT" + Slidelights



Cherry, 1 lite over 2 Panel flat
with Decorative glass
"C1L2TMRV-EXT" + Slidelights



Cherry, 1 lite over 2 Panel flat
with Warwick glass
"C1L2TMRV-EXT" + Slidelights




Clear Oline, 6 lite over 2 Panel flat
with Frost glass
"CP6L2TMRV-EXT" + Slidelights



Oak, 6 lite over 2 Panel
with White Laminate glass
"O6L2TSMRV-EXT" + Slidelights



Cherry, 1 lite over 2 Panel
with Crystal Ice glass
"C1L2TMRV-EXT" + Slidelights



Patented Fiberglass Sill Jamb
Sits Above Floor Level



Extruded Aluminum Clad Frame
in a Variety of Colors

BLINDS IN GLASS

Internal Blinds Option With Low-e Glass



CLAD COLORS

Standard Colors


- White
- Bronze
- Tan
- Sand

Non Standard Colors

- Cocoa
- G-Brown
- Brick Red
- Green
- Cranberry
- Black
- Creme
- Dark Bronze

FEATURES & BENEFITS

- **Extruded Aluminum Exterior Frame:** Merrill Millwork uses only heavy gage extruded aluminum exteriors which allow for a thicker more durable paint finish.
- **Wood Panels:** All premium grade pine or exotic species. Laminate to ensure stability.
- **Security:** Automatic Multipoint locking hardware provides added security.
- **Durable Pultruded Fiberglass Sill:** Jambs sit above the floor line.
- **Sill:** Patented end plug with an innovative weep system. Low profile sill and 10" bottom rail available.
- **High Performance:** In house testing and certification with over 45 years of swing door building experience.



HARDWARE SUITE



Dark Bronze

ROMA Lever Features

- US-cylinder with standard 5 pins
Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 smart lock

Precision Operation and Security

- No lifting of handle to engage locking points
- 3-point, one piece locking system for 6- 8" 7-0" and 8-0' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking and unlocking with a quarter turn of American Standard key cylinder or thumb-turn. Latches are retracted by activating the handle.
- Top and bottom Automatic latchbolt projection from 10 to 20mm:
Provides security - Protects the door



Satin Nickel



Pewter



Black



BERKELEY Thumb Latch Features

- Traditional Thumb Latch style & beauty
- Solid forged brass
- Available in 4 finishes
- US-cylinder with standard Schlage "C" keyway 90° locking with thumb-turn
- Optional Smart Locks



Dark Bronze



Black



Pewter



Satin Nickel

FACTORY INTERIOR WOOD FINISH COLOR OPTIONS

Park-Vue Slide & Swing Doors: Leading the industry in specialty wood doors for over 50 years, Park-Vue provides the option to stain or paint your order. Our environmentally friendly water-based stain enhances the interior beauty of our doors natural wood veneer. The factory finish provided by Park-Vue,

the manufacturer, will ensure quality, save time on the job site, and ensure satisfaction at a competitive price. Custom colors can be provided upon request. Don't pass up the best value in entrance doors because you are unsure about colors matching. Attached finished samples are provided on white pine.



ALUMINUM CLAD EXTERIOR OPTIONS



The aluminum cladding on our maintenance-free exterior is 100% extruded aluminum of .055" to .07". Compare that to commonly used roll-form aluminum with a typical wall thickness of .019" or .024". Our color choices are compatible with those of popular window and exterior trim manufacturers.

EXOTIC SPECIES

Standard Colors



Non-standard Colors






SIZES & SPECIFICATIONS

6/8 Height	Config.	ROUGH OPNG	FRAME OSM	Op Sash	Sidelight	Egress *w/Mortise Lock Handle	Brick Mold
EDS 2/8	A	34-3/8 X 82-11/16"	33-11/16 X 82-3/16"	31-15/16 X 79-3/4"	N/A	29-3/16"	36-3/4 X 83-7/8"
EDS 2/8-1/0	C, CA	47-1/4 X 82-11/16"	46-1/2 X 82-3/16"	31-15/16 X 79-3/4"	12"	29-3/16"	49-3/8 X 83-7/8"
EDS 2/8-1/6	C, CA	53-1/4 X 82-11/16"	52-1/2 X 82-3/16"	31-15/16 X 79-3/4"	18"	29-3/16"	55-5/8 X 83-7/8"
EDS 2/8-2/8	B	67-1/8 X 82-11/16"	66-1/2 X 82-3/16"	31-15/16 X 79-3/4"	*32"	60-3/16"	69-1/2 X 83-7/8"
EDS 1/0-2/8-1/0	D, DA	60-1/8 X 82-11/16"	59-3/8 X 82-3/16"	31-15/16 X 79-3/4"	12" _12"	29-3/16"	62-1/2 X 83-7/8"
EDS 1/6-2/8-1/6	D, DA	72-1/8 X 82-11/16"	71-3/8 X 82-3/16"	31-15/16 X 79-3/4"	18" _18"	29-3/16"	74-1/2 X 83-7/8"
EDS 2/10	A	36-3/8 X 82-11/16"	35-11/16 X 82-3/16"	33-15/16 X 79-3/4"	N/A	31-3/16"	38-3/4 X 83-7/8"
EDS 2/10-1/0	C, CA	49-1/4 X 82-11/16"	48-1/2 X 82-3/16"	33-15/16 X 79-3/4"	12"	31-3/16"	51-5/8 X 83-7/8"
EDS 2/10-1/6	C, CA	55-1/4 X 82-11/16"	52-1/2 X 82-3/16"	33-15/16 X 79-3/4"	18"	31-3/16"	57-5/8 X 83-7/8"
EDS 2/10-2/10	B	71-1/8 X 82-11/16"	70-3/8 X 82-3/16"	33-15/16 X 79-3/4"	*34"	64-3/16"	73-1/2 X 83-7/8"
EDS 1/0-2/10-1/0	D, DA	62-1/8 X 82-11/16"	61-3/8 X 82-3/16"	33-15/16 X 79-3/4"	12" _12"	31-3/16"	64-1/2 X 83-7/8"
EDS 1/6-2/10-1/6	D, DA	74-1/8 X 82-11/16"	73-3/8 X 82-3/16"	33-15/16 X 79-3/4"	18" _18"	31-3/16"	76-1/2 X 83-7/8"
EDS 3/0	A	38-3/8 X 82-11/16"	37-11/16 X 82-3/16"	35-15/16 X 79-3/4"	N/A	33-3/16"	40-3/4 X 83-7/8"
EDS 3/0-1/0	C, CA	51-1/4 X 82-11/16"	50-1/2 X 82-3/16"	35-15/16 X 79-3/4"	12"	33-3/16"	53-5/8 X 83-7/8"
EDS 3/0-1/6	C, CA	57-1/4 X 82-11/16"	54-1/2 X 82-3/16"	35-15/16 X 79-3/4"	18"	33-3/16"	59-5/8 X 83-7/8"
EDS 3/0-3/0	B	75-1/8 X 82-11/16"	74-3/8 X 82-3/16"	35-15/16 X 79-3/4"	*36"	68-3/16"	77-1/2 X 83-7/8"
EDS 1/0-3/0-1/0	D, DA	64-1/8 X 82-11/16"	63-3/8 X 82-3/16"	35-15/16 X 79-3/4"	12" _12"	33-3/16"	66-1/2 X 83-7/8"
EDS 1/6-3/0-1/6	D, DA	76-1/8 X 82-11/16"	75-3/8 X 82-3/16"	35-15/16 X 79-3/4"	18" _18"	33-3/16"	78-1/2 X 83-7/8"
7/0 Height	Config.	ROUGH OPNG	FRAME OSM	Op Sash	Sidelight	Egress *w/Mortise Lock Handle	Brick Mold
EDS 2/8	A	34-3/8 X 86-11/16"	33-11/16 X 86-3/16"	31-15/16 X 83-3/4"	N/A	29-3/16"	36-3/4 X 87-7/8"
EDS 2/8-1/0	C, CA	47-1/4 X 86-11/16"	46-1/2 X 86-3/16"	31-15/16 X 83-3/4"	12"	29-3/16"	49-3/8 X 87-7/8"
EDS 2/8-1/6	C, CA	53-1/4 X 86-11/16"	52-1/2 X 86-3/16"	31-15/16 X 83-3/4"	18"	29-3/16"	55-5/8 X 87-7/8"
EDS 2/8-2/8	B	67-1/8 X 86-11/16"	66-1/2 X 86-3/16"	31-15/16 X 83-3/4"	*32"	60-3/16"	69-1/2 X 87-7/8"
EDS 1/0-2/8-1/0	D, DA	60-1/8 X 86-11/16"	59-3/8 X 86-3/16"	31-15/16 X 83-3/4"	12" _12"	29-3/16"	62-1/2 X 87-7/8"
EDS 1/6-2/8-1/6	D, DA	72-1/8 X 86-11/16"	71-3/8 X 86-3/16"	31-15/16 X 83-3/4"	18" _18"	29-3/16"	74-1/2 X 87-7/8"
EDS 2/10	A	36-3/8 X 86-11/16"	35-11/16 X 86-3/16"	33-15/16 X 83-3/4"	N/A	31-3/16"	38-3/4 X 87-7/8"
EDS 2/10-1/0	C, CA	49-1/4 X 86-11/16"	48-1/2 X 86-3/16"	33-15/16 X 83-3/4"	12"	31-3/16"	51-5/8 X 87-7/8"
EDS 2/10-1/6	C, CA	55-1/4 X 86-11/16"	52-1/2 X 86-3/16"	33-15/16 X 83-3/4"	18"	31-3/16"	57-5/8 X 87-7/8"
EDS 2/10-2/10	B	71-1/8 X 86-11/16"	70-3/8 X 86-3/16"	33-15/16 X 83-3/4"	*34"	64-3/16"	73-1/2 X 87-7/8"
EDS 1/0-2/10-1/0	D, DA	62-1/8 X 86-11/16"	61-3/8 X 86-3/16"	33-15/16 X 83-3/4"	12" _12"	31-3/16"	64-1/2 X 87-7/8"
EDS 1/6-2/10-1/6	D, DA	74-1/8 X 86-11/16"	73-3/8 X 86-3/16"	33-15/16 X 83-3/4"	18" _18"	31-3/16"	76-1/2 X 87-7/8"
EDS 3/0	A	38-3/8 X 86-11/16"	37-11/16 X 86-3/16"	35-15/16 X 83-3/4"	N/A	33-3/16"	40-3/4 X 87-7/8"
EDS 3/0-1/0	C, CA	51-1/4 X 86-11/16"	50-1/2 X 86-3/16"	35-15/16 X 83-3/4"	12"	33-3/16"	53-5/8 X 87-7/8"
EDS 3/0-1/6	C, CA	57-1/4 X 86-11/16"	54-1/2 X 86-3/16"	35-15/16 X 83-3/4"	18"	33-3/16"	59-5/8 X 87-7/8"
EDS 3/0-3/0	B	75-1/8 X 86-11/16"	74-3/8 X 86-3/16"	35-15/16 X 83-3/4"	*36"	68-3/16"	77-1/2 X 87-7/8"
EDS 1/0-3/0-1/0	D, DA	64-1/8 X 86-11/16"	63-3/8 X 86-3/16"	35-15/16 X 83-3/4"	12" _12"	33-3/16"	66-1/2 X 87-7/8"
EDS 1/6-3/0-1/6	D, DA	76-1/8 X 86-11/16"	75-3/8 X 86-3/16"	35-15/16 X 83-3/4"	18" _18"	33-3/16"	78-1/2 X 87-7/8"
8/0 Height	Config.	ROUGH OPNG	FRAME OSM	Op Sash	Sidelight	Egress *w/Mortise Lock Handle	Brick Mold
EDS 2/8	A	34-3/8 X 98-11/16"	33-11/16 X 98-3/16"	31-15/16 X 95-3/4"	N/A	29-3/16"	36-3/4 X 99-7/8"
EDS 2/8-1/0	C, CA	47-1/4 X 98-11/16"	46-1/2 X 98-3/16"	31-15/16 X 95-3/4"	12"	29-3/16"	49-3/8 X 99-7/8"
EDS 2/8-1/6	C, CA	53-1/4 X 98-11/16"	52-1/2 X 98-3/16"	31-15/16 X 95-3/4"	18"	29-3/16"	55-5/8 X 99-7/8"
EDS 2/8-2/8	B	67-1/8 X 98-11/16"	66-1/2 X 98-3/16"	31-15/16 X 95-3/4"	*32"	60-3/16"	69-1/2 X 99-7/8"
EDS 1/0-2/8-1/0	D, DA	60-1/8 X 98-11/16"	59-3/8 X 98-3/16"	31-15/16 X 95-3/4"	12" _12"	29-3/16"	62-1/2 X 99-7/8"
EDS 1/6-2/8-1/6	D, DA	72-1/8 X 98-11/16"	71-3/8 X 98-3/16"	31-15/16 X 95-3/4"	18"	29-3/16"	74-1/2 X 99-7/8"
EDS 2/10	A	36-3/8 X 98-11/16"	35-5/8 X 98-3/16"	33-15/16 X 95-3/4"	N/A	31-3/16"	38-3/4 X 99-7/8"
EDS 2/10-1/0	C, CA	49-1/4 X 98-11/16"	48-1/2 X 98-3/16"	33-15/16 X 95-3/4"	12"	31-3/16"	51-5/8 X 99-7/8"
EDS 2/10-1/6	C, CA	55-1/4 X 98-11/16"	52-1/2 X 98-3/16"	33-15/16 X 95-3/4"	18"	31-3/16"	57-5/8 X 99-7/8"
EDS 2/10-2/10	B	71-1/8 X 98-11/16"	70-3/8 X 98-3/16"	33-15/16 X 95-3/4"	*34"	64-3/16"	73-1/2 X 99-7/8"
EDS 1/0-2/10-1/0	D, DA	62-1/8 X 98-11/16"	61-3/8 X 98-3/16"	33-15/16 X 95-3/4"	12" _12"	31-3/16"	64-1/2 X 99-7/8"
EDS 1/6-2/10-1/6	D, DA	74-1/8 X 98-11/16"	73-3/8 X 98-3/16"	33-15/16 X 95-3/4"	18"	31-3/16"	76-1/2 X 99-7/8"
EDS 3/0	A	38-3/8 X 98-11/16"	37-11/16 X 98-3/16"	35-15/16 X 95-3/4"	N/A	33-3/16"	40-3/4 X 99-7/8"
EDS 3/0-1/0	C, CA	51-1/4 X 98-11/16"	50-1/2 X 98-3/16"	35-15/16 X 95-3/4"	12"	33-3/16"	53-5/8 X 99-7/8"
EDS 3/0-1/6	C, CA	57-1/4 X 98-11/16"	54-1/2 X 98-3/16"	35-15/16 X 95-3/4"	18"	33-3/16"	59-5/8 X 99-7/8"
EDS 3/0-3/0	B	75-1/8 X 98-11/16"	74-3/8 X 98-3/16"	35-15/16 X 95-3/4"	*36"	68-3/16"	77-1/2 X 99-7/8"
EDS 1/0-3/0-1/0	D, DA	64-1/8 X 98-11/16"	63-3/8 X 98-3/16"	35-15/16 X 95-3/4"	12" _12"	33-3/16"	66-1/2 X 99-7/8"
EDS 1/6-3/0-1/6	D, DA	76-1/8 X 98-11/16"	75-3/8 X 98-3/16"	35-15/16 X 95-3/4"	18" _18"	33-3/16"	78-1/2 X 99-7/8"

* = Inactive Pnl

AN ADA overall unit frame height is 9/16" shorter than a standard Sill unit frame height



PARK VUE
Slide & Swing Doors

Contact Us

1300 West Taylor Street, Merrill, WI 54452
 Phone (715) 536-8112 - Fax (715) 536-4329
 E-mail: parkvue@park-vue.com
www.park-vue.com